Interpretive Hydrogeology of the Middle Wind River Basin, Skamania County, Washington

Said Amali¹, Steve D. Misner¹, Kevin A. Lindsey², Charly Boyd³, Habib Matin⁴, and Ronan Igloria⁵

¹ Principal authors, Kennedy/Jenks Consultants, Inc. 2828 SW Naito Parkway, Suite 250, Portland, OR 97201, (503) 295-4911.

²Kennedy/Jenks Consultants, Inc. Kennewick, WA (509) 734-9763.


³Skamania County Watersheds and Shorelines Planner, Stevenson, WA (509) 427-9458.

⁴Pacific Water Resources, Inc. Beaverton, OR (503) 671-9709. ⁵Economic & Engineering Services, Inc. Portland, OR (503) 223-3033.

Objective:

Interpret area hydrogeology to provide planning level information and tools for future development decisions


Study Area is primarily unincorporated land bordered by the Gifford Pinchot National Forest



Surface Water Features:


- Wind River
- **Trout Creek**
- Panther Creek


	Flow
Month	(cfs)
Sep.	101
Sep	64
Sep.	235
Sep	25/19
Aug	19/13
	Sep Sep.




Land Use Characteristics:


- Current Population is ~2,000 (1/4+ in Stabler)
- Expected growth =50% over next 20 yrs
- Zoned residential, commercial, and forest/ag








Interpretive Geologic Cross Section A1-A1'



Interpretive Geologic Cross Section A2-A2'

Interpretive Geologic Cross Section B-B'






Figure 13a: Deposition of sediment above the Ohanapecosh Formation prior to TCH Basalt flows.




Figure 13b: Emplacement of the TCH Basalt layers and Quaternary alluvium providing recharge pathways.





Figure 13c: Interpretive Study Area hydrogeology.





1911 photo – Present location of Hemlock Dam

Conclusions:

- TCH is the main aquifer in area, susceptible to overpumping
- Water Quality in the Study Area is good
- Qal is main recharge zone
 - **Will require wellhead protection**
- TCH aquifer water quality not as susceptible to degradation as Qal